UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	. FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/632,190	07/30/2003	Muthu Senthil	ORCL-2003-032-01	3952	
WAGNER M	7590 04/06/2007 URABITO & HAO LLP	EXAMINER			
Third Floor			PANNALA, SATHYANARAYAN R		
Two North Market Street San Jose, CA 95113			ART UNIT	PAPER NUMBER	
·			2164		
SHORTENED STATUTO	RY PERIOD OF RESPONSE	MAIL DATE	DELIVERY	VMODE	
		<del></del>	DELIVERY MODE		
3 MONTHS		04/06/2007	PAP	ER	

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

		Applicati	on No.	Applicant(s)				
Office Action Summary			90	SENTHIL, MUTH	J			
			r	Art Unit				
		·	rayan Pannala	2164				
Period fo	The MAILING DATE of this communication or Reply	n appears on th	e cover sheet wit	h the correspondence ad	Idress			
WHIC - Exte after - If NC - Failu Any	ORTENED STATUTORY PERIOD FOR R CHEVER IS LONGER, FROM THE MAILIN asions of time may be available under the provisions of 37 C SIX (6) MONTHS from the mailing date of this communication period for reply is specified above, the maximum statutory per te to reply within the set or extended period for reply will, by reply received by the Office later than three months after the ad patent term adjustment. See 37 CFR 1.704(b)	IG DATE OF TI FR 1.136(a). In no evon. period will apply and w statute, cause the app	HIS COMMUNIC vent, however, may a re vill expire SIX (6) MONT blication to become ABA	ATION. ply be timely filed  'HS from the mailing date of this c ANDONED (35 U.S.C. § 133).				
Status					·			
1)	Responsive to communication(s) filed on	21 February 20	07	•				
2a)□								
/	<ul> <li>2a) This action is FINAL.</li> <li>2b) This action is non-final.</li> <li>3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.</li> </ul>							
٥,۵								
Dispositi	on of Claims	•	, , , , , , , , , , , , , , , , , , , ,	,				
· _	Claim(s) <u>1-20</u> is/are pending in the applica	ation						
-			neideration	•				
	4a) Of the above claim(s) is/are withdrawn from consideration.  Claim(s) is/are allowed.							
· · · · · · · · · · · · · · · · · · ·	Claim(s) <u>1-20</u> is/are rejected.	•			•			
7)	Claim(s) is/are objected to.							
8)□	Claim(s) are subject to restriction a	ınd/or election r	requirement	•				
			oquii omonii.					
	on Papers							
	The specification is objected to by the Exa		_					
	The drawing(s) filed on is/are: a)□		· ·					
	Applicant may not request that any objection to							
400	Replacement drawing sheet(s) including the co	•		•				
11)[_]	The oath or declaration is objected to by the	ne Examiner. No	ote the attached	Office Action or form P1	O-152.			
Priority ι	ınder 35 U.S.C. § 119							
	Acknowledgment is made of a claim for for All b) Some * c) None of:			119(a)-(d) or (f).	. ·			
	1. Certified copies of the priority docur	ments have bee	n received.	•				
	2. Certified copies of the priority docur		•	•				
	3. Copies of the certified copies of the	•		received in this National	Stage			
	application from the International Bu	•	, ,,					
* 5	see the attached detailed Office action for a	a list of the cert	fied copies not r	eceived.				
		•						
Attachmen	Ne\	;						
	e of References Cited (PTO-892)		4) Intention St	ımmary (PTQ-413)	,			
	e of Neterchoes Ofted (P10-032) e of Draftsperson's Patent Drawing Review (PTO-94)	8)	Paper No(s)	/Mail Date				
3) 🔲 Infor	nation Disclosure Statement(s) (PTO/SB/08) r No(s)/Mail Date		5) Notice of Inf 6) Other:	formal Patent Application				

Art Unit: 2164

## **DETAILED ACTION**

### Continued Examination Under 37 CFR 1.114

- 1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 2/21/2007 has been entered.
- 2. Applicant's Amendment filed on 2/21/2007 in response to final Office Action has been entered with amended claim 6. In this Office Action, claims 1-20 are pending.

## Claim Rejections - 35 USC § 101

- 3. 35 U.S.C. § 101 reads as follows:
  - Whoever invents or discovers any new and useful process, machine, manufacture, or composition of matter, or any new and useful improvement thereof, may obtain a patent therefor, subject to the conditions and requirements of this title.
- 4. Claims 1-20 are rejected under 35 U.S.C. § 101, because none of the claims are directed to statutory subject matter. Independent claims 1, 6 and 14 deals with simple abstract ideas. A claim that recites a computer that solely calculates a mathematical

Art Unit: 2164

formula or a computer disk that solely stores a mathematical formula is not directed to the type of subject matter eligible for patent protection. See Diehr, 450 US at 186 and Gottschalk v. Benson, 409 U.S. 63,71-72(1972).

# Claim Rejections - 35 USC § 103

- 5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 6. Claims 1-5 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kilpatrick et al. (US Patent 6,742,124) hereinafter Kilpatrick, and in view of Chan et al. (US Patent 6,697,844) hereinafter Chan
- 7. As per independent claim 1, Kilpatrick teaches an intrusion detection operating efficiently in real-time. Computational efficiency is generated through the representation of known sequences of system calls in a distance matrix. The distance matrix indirectly specifies known sequences by specifying allowable separation distances between parts of systems (col. 3, lines 11-16). Kilpatrick teaches the claimed, calculating a Levenshtein matrix of said first string and said second string (Fig. 6, col. 10, lines 7-10).

Art Unit: 2164

Kilpatrick teaches the claimed, determining a Levenshtein distance from said
Levenshtein matrix (Fig. 6, col. 10, lines 27-28). Kilpatrick does not explicitly teach
largest common substring between strings. However, Chan teaches the claimed,
determining a largest common substring (Fig. 4, col. 9, lines 2-6). Thus, it would have
been obvious to one of ordinary skill in the data processing art at the time of the
invention, to have combined the teachings of the cited references because Chan's
teachings would have allowed Kilpatrick's method to reduce the amount of latency by
caching and prefetching components of electronic mail messages using information
relating to similar objects that were previously supplied to the client by the mail server
(col. 2, lines 22-25 and lines 33-35). Chan teaches the claimed, determining a similarity
between a set of characters in said first string and a set of characters in said second
string as a function of said Levenshtein distance and said largest common substring
(Fig. 4-5, 7A-B, col. 9, lines 2-6 and col. 10, lines 55-62).

- 8. As per dependent claim 2, Kilpatrick teaches the claimed, determining a largest common substring from said Levenshtein distance matrix comprises determining a longest diagonal of equal hamming distances of a lowest value (Fig. 5, Table 2, col. 9, lines 31-45).
- 9. As per dependent claim 3 Kilpatrick teaches the claimed, calculating a Levenshtein score (Fig. 5, col. 9, lines 44-45).

Art Unit: 2164

- 10. As per dependent claim 4, further comprising determining the length of the largest common substring (Fig. 5, Table 2, col. 9, lines 31-35).
- 11. As per dependent claim 5, further comprising calculating a largest common substring score (Fig. 5, Table 2, col. 9, lines 31-35).
- 12. Claims 6-20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kilpatrick et al. (US Patent 6,742,124) hereinafter Kilpatrick, in view of Haigh et al. (USPA Pub. 2003/0004716 A1) hereinafter Haigh, and in view of Chan et al (US Patent 6,697,844) hereinafter Chan.
- 13. As per independent claim 6, Kilpatrick teaches an intrusion detection operating efficiently in real-time. Computational efficiency is generated through the representation of known sequences of system calls in a distance matrix. The distance matrix indirectly specifies known sequences by specifying allowable separation distances between parts of systems (col. 3, lines 11-16). Kilpatrick teaches the claimed, calculating a Levenshtein matrix of a first string and a second string (Fig. 6, col. 10, lines 7-10). Kilpatrick teaches the claimed, determining a Levenshtein distance from said Levenshtein matrix (Fig. 6, col. 10, lines 27-28). Kilpatrick does not explicitly teach largest common substring between strings. However, Haigh teaches the claimed, determining a largest common substring (Fig. 6, page 5, paragraph [0053-0054]). Thus, it would have been obvious to one of ordinary skill in the data processing art at the time

Page 6

Art Unit: 2164

of the invention, to have combined the teachings of the cited references because Haigh's teachings would have allowed Kilpatrick's method to identify and categorize text within documents in order to overcome difficulties, time consuming and tedious while using rules or regular expressions (page 1, paragraph [0011]). Kilpatrick teaches the claimed, calculating a Levenshtein score as a function of said Levenshtein distance (Fig. 6, col. 9, lines 44-45). Kilpatrick teaches the claimed, calculating a largest common substring score as a function of said largest common substring (Fig. 6, Table 2, col. 9, lines 31-35). Kilpatrick and Haigh do not explicitly teach determining similarity between two strings. However, Chan teaches the claimed, determining a similarity between a set of characters in said first string and a set of characters in said second string as a function of said Levenshtein distance and said largest common substring (Fig. 4-5, 7A-B, col. 9, lines 2-6 and col. 10, lines 55-62). Thus, it would have been obvious to one of ordinary skill in the data processing art at the time of the invention, to have combined the teachings of the cited references because Chan's teachings would have allowed Kilpatrick's method to reduce the amount of latency by caching and prefetching components of electronic mail messages using information relating to similar objects that were previously supplied to the client by the mail server (col. 2, lines 22-25 and lines 33-35).

14. As per dependent claim 7, Kilpatrick teaches the claimed, calculating an acronym score of said first string and said second string (Fig. 6, col. 9, lines 44-45).

Art Unit: 2164

- 15. As per dependent claim 8, Kilpatrick and Haigh combined teaches claim 6. Haigh teaches the claimed, calculating a weighted acronym score comprising a product of said acronym score and an acronym weight factor (Fig. 7, page 5, paragraph [0057]). Thus, it would have been obvious to one of ordinary skill in the data processing art at the time of the invention, to have combined the teachings of the cited references because Haigh's teachings would have allowed Kilpatrick's method to identify and categorize text within documents in order to overcome difficulties, time consuming and tedious while using rules or regular expressions (page 1, paragraph [0011]).
- 16. As per dependent claim 9, Kilpatrick and Haigh combined teaches claim 6. Haigh teaches the claimed, calculating a weighted Levenshtein score comprising a product of said Levenshtein score and a Levenshtein weight factor calculating a weighted largest common substring score comprising a product of said largest common substring score and a largest common substring weight factor and calculating a Levenshtein largest common substring score comprising a sum of said weighted Levenshtein score and said weighted largest common substring score (Fig. 7, page 5, paragraph [0057]). Thus, it would have been obvious to one of ordinary skill in the data processing art at the time of the invention, to have combined the teachings of the cited references because Haigh's teachings would have allowed Kilpatrick's method to identify and categorize text within documents in order to overcome difficulties, time consuming and tedious while using rules or regular expressions (page 1, paragraph [0011]).

Page 8

Application/Control Number: 10/632,190

Art Unit: 2164

- 17. As per dependent claim 10, Kilpatrick and Haigh combined teaches claim 6. Haigh teaches the claimed, a sum of said Levenshtein weight factor and said largest common substring weight factor is equal to one (Fig. 7, page 5, paragraph [0057]). Thus, it would have been obvious to one of ordinary skill in the data processing art at the time of the invention, to have combined the teachings of the cited references because Haigh's teachings would have allowed Kilpatrick's method to identify and categorize text within documents in order to overcome difficulties, time consuming and tedious while using rules or regular expressions (page 1, paragraph [0011]).
- 18. As per dependent claim 11, Kilpatrick and Haigh combined teaches claim 6. Haigh teaches the claimed, calculating a first weighted numerical score comprising a product of said Levenstein/largest common substring score and a string weight factor (Fig. 7, page 5, paragraph [0057]). Thus, it would have been obvious to one of ordinary skill in the data processing art at the time of the invention, to have combined the teachings of the cited references because Haigh's teachings would have allowed Kilpatrick's method to identify and categorize text within documents in order to overcome difficulties, time consuming and tedious while using rules or regular expressions (page 1, paragraph [0011]).
- 19. As per dependent claim 12, Kilpatrick and Haigh combined teaches claim 6. Haigh teaches the claimed, calculating an acronym score, calculating a weighted

Page 9

Art Unit: 2164

acronym score comprising a product of said acronym score and an acronym weight factor and calculating a second weighted numerical score comprising a sum of said first weighted numerical score and said weighted acronym score of said first string and said second string (Fig. 7, page 5, paragraph [0057]). Thus, it would have been obvious to one of ordinary skill in the data processing art at the time of the invention, to have combined the teachings of the cited references because Haigh's teachings would have allowed Kilpatrick's method to identify and categorize text within documents in order to overcome difficulties, time consuming and tedious while using rules or regular expressions (page 1, paragraph [0011]).

- 20. As per dependent claim 13, Kilpatrick and Haigh combined teaches claim 6. Haigh teaches the claimed, a sum of said string weight factor and said acronym weight factor is equal to one (Fig. 7, page 5, paragraph [0057]). Thus, it would have been obvious to one of ordinary skill in the data processing art at the time of the invention, to have combined the teachings of the cited references because Haigh's teachings would have allowed Kilpatrick's method to identify and categorize text within documents in order to overcome difficulties, time consuming and tedious while using rules or regular expressions (page 1, paragraph [0011]).
- 21. As per independent claim 14, Kilpatrick teaches an intrusion detection operating efficiently in real-time. Computational efficiency is generated through the representation of known sequences of system calls in a distance matrix. The distance matrix indirectly

Art Unit: 2164

specifies known sequences by specifying allowable separation distances between parts of systems (col. 3, lines 11-16). Kilpatrick teaches the claimed, calculating a Levenshtein matrix of a first string and a second string (Fig. 6, col. 10, lines 7-10). Kilpatrick teaches the claimed, determining a Levenshtein distance from said Levenshtein matrix (Fig. 6, col. 10, lines 27-28). Kilpatrick does not explicitly teach largest common substring between strings. However, Chan teaches the claimed, determining a largest common substring (Fig. 4, col. 9, lines 2-6). Kilpatrick teaches the claimed, calculating a Levenshtein score as a function of said largest common substring (Fig. 6, col. 10, lines 7-10). Kilpatrick does not explicitly teach largest common substring between strings. However, Haigh teaches the claimed, calculating a first numerical score as a function of said Levenshtein score and said largest common substring score (Fig. 6, page 5, paragraph [0053-0054]). Thus, it would have been obvious to one of ordinary skill in the data processing art at the time of the invention, to have combined the teachings of the cited references because Haigh's teachings would have allowed Kilpatrick's method to identify and categorize text within documents in order to overcome difficulties, time consuming and tedious while using rules or regular expressions (page 1, paragraph [0011]). Kilpatrick does not explicitly teach largest common substring between strings. However, Chan teaches the claimed, calculating a largest common substring score as a function of said largest common substring (Fig. 4, col. 9, lines 2-6). Kilpatrick and Haigh do not explicitly teach largest common substring between strings, However, Chan teaches the claimed, numerical score is a first quantification of a similarity between a set of characters in said first string and a set of

Art Unit: 2164

characters in said second string as a function of said Levenshtein distance and said largest common substring (Fig. 4-5, 7A-B, col. 9, lines 2-6 and col. 10, lines 55-62). Thus, it would have been obvious to one of ordinary skill in the data processing art at the time of the invention, to have combined the teachings of the cited references because Chan's teachings would have allowed Kilpatrick's method to reduce the amount of latency by caching and prefetching components of electronic mail messages using information relating to similar objects that were previously supplied to the client by the mail server (col. 2, lines 22-25 and lines 33-35).

- 22. As per dependent claim 15, Kilpatrick teaches the claimed, calculating a subtracting the resultant of dividing said Levenshtein distance by an average of a length of said first string and a length of said second string from one (Fig. 6, col. 9, lines 44-45, col. 10, lines 27-28).
- 23. As per dependent claim 16, Kilpatrick, Haigh and Chan combined teaches claim 14. Haigh teaches the claimed, determining a length of said largest common substring from said Levenshtein matrix and dividing said length of said largest common substring by an average of a length of said first string and a length of said second string (Fig. 7, page 5, paragraph [0053-0054 and 0057]). Thus, it would have been obvious to one of ordinary skill in the data processing art at the time of the invention, to have combined the teachings of the cited references because Haigh's teachings would have allowed Kilpatrick's method to identify and categorize text within documents in order to

Art Unit: 2164

overcome difficulties, time consuming and tedious while using rules or regular expressions (page 1, paragraph [0011]).

- 24. As per dependent claim 17, Kilpatrick, Haigh and Chan combined teaches claim 14. Haigh teaches the claimed, calculating a weighted Levenshtein score comprising a product of said Levenshtein score and a Levenshtein weight factor, calculating a weighted largest common substring score comprising a product of said largest common substring score and a largest common substring weight factor and summing said weighted Levenshtein score and said weighted largest common substring score (Fig. 7, page 5, paragraph [0057]). Thus, it would have been obvious to one of ordinary skill in the data processing art at the time of the invention, to have combined the teachings of the cited references because Haigh's teachings would have allowed Kilpatrick's method to identify and categorize text within documents in order to overcome difficulties, time consuming and tedious while using rules or regular expressions (page 1, paragraph [0011]).
- 25. As per dependent claim 18, Kilpatrick teaches the claimed, calculating an acronym score and calculating a second numerical score as a function of said first numerical score and said acronym score (Fig. 6, col. 9, lines 44-45).
- 26. As per dependent claim 19, Kilpatrick, Haigh and Chan combined teaches claim 14. Haigh teaches the claimed, calculating a weighted Levenshtein score

Application/Control Number: 10/632,190 Page 13

Art Unit: 2164

comprising a product of said Levenshtein score and a Levenshtein weight factor, calculating a weighted largest common substring score comprising a product of said largest common substring score and a largest common substring weight factor, calculating a Levenshtein largest common substring score comprising a sum of said weighted Levenshtein score and said weighted largest common substring score, calculating a weighted Levenshtein/largest common substring score comprising a product of said Levenshtein/largest common substring score and a Levenshtein/largest common substring weight factor, calculating a weighted acronym score comprising a product of said acronym score and an acronym score weight factor and summing said weighted Levenshtein largest common substring score and said weighted acronym score (Fig. 7, page 5, paragraph [0057]). Thus, it would have been obvious to one of ordinary skill in the data processing art at the time of the invention, to have combined the teachings of the cited references because Haigh's teachings would have allowed Kilpatrick's method to identify and categorize text within documents in order to overcome difficulties, time consuming and tedious while using rules or regular expressions (page 1, paragraph [0011]).

27. As per dependent claim 20, Kilpatrick, Haigh and Chan combined teaches claim 14. Haigh teaches the claimed, utilizing said first numerical score for determining said similarity, when said first string and said second string comprise numerical-type strings and utilizing said second numerical score for determining said similarity, when said first string or said second string comprise character-type strings (Fig. 7, page 5,

Art Unit: 2164

paragraph [0057]). Thus, it would have been obvious to one of ordinary skill in the data processing art at the time of the invention, to have combined the teachings of the cited references because Haigh's teachings would have allowed Kilpatrick's method to identify and categorize text within documents in order to overcome difficulties, time consuming and tedious while using rules or regular expressions (page 1, paragraph [0011]).

# Response to Arguments

- 28. Applicant's arguments filed on 2/21/2007 with respect to claims 1-20 have been fully considered but they are persuasive and details as follows:
  - a) Applicant's argument stated as "Applicants respectfully assert that the independent claims 1, 6 and 14 produce a useful, concrete and tangible result..." (see page 9 paragraph 2).

In response to Applicant argument, Examiner disagrees with argument regarding claims 1-20 rejection under 35 U.S.C. 101 based on simple abstract idea. In fact, applicant is claiming in claims 1, 6 and 14 as computation of distance, matrix, numerical values and comparison of distances. These claims do deal with simple computation. However, Examiner removed the word "mathematical" from the rejection reason and still the claims have abstract ideas.

b) Applicant's argument stated as "Aiken does not mention a Levenshtein distance."

Application/Control Number: 10/632,190 Page 15

Art Unit: 2164

In response to Applicant argument, again Examiner disagrees because Levenshtein distance is the same as edit distance, a person of ordinary skill in the data processing dealing with strings will know this information. Aiken do teach edit distance. However, Aiken reference is replaced with Chan reference to teach amended claims and argument moot.

### Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Sathyanarayan Pannala whose telephone number is (571) 272-4115. The examiner can normally be reached on 8:00 am - 5:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Charles Rones can be reached on (571) 272-4085. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

Art Unit: 2164

Page 16

For more information about the PAIR system, see http://pair-direct.uspto.gov.

Should you have questions on access to the Private PAIR system, contact the

Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Sathyanarayan Pannala Primary Examiner

srp April 2, 2007